



SCHAEFER ORNAMENTAL IRON CO
JIM SCHAEFER
 2775 DRAKE RD
 COLUMBUS OHIO 43219
 U.S.A.
 614.475.4247 PHONE
 614.475.4275 FAX
 WWW.ABCPROPS.COM
 E-MAIL: JIM@ABCPROPS.COM

Propeller Chart

03/01/2016

CLEAVER	PROP DIA	1.2	Inch		30.5	mm							
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE	
								60					
New Size	1214-15-60(3) CLL	1.2	1.4	1.680	30.48	42.672	15	0.60	L	3	0.125	\$24.95	
New Size	1214-15-60(3) CLR	1.2	1.4	1.680	30.48	42.672	15	0.60	R	3	0.125	\$24.95	

CLEAVER	PROP DIA	1.3	Inch		33.0	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
								60				
New Size	1314-15-60(3) CLL	1.3	1.4	1.820	33.02	46.228	15	0.60	L	3	0.125	\$24.95
New Size	1314-15-60(3) CLR	1.3	1.4	1.820	33.02	46.228	15	0.60	R	3	0.125	\$24.95

CLEAVER	PROP DIA	1.4	Inch		35.6	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
								60				
New Size	1414-15-60(3) CLL	1.4	1.4	1.960	35.56	49.784	15	0.60	L	3	0.125	\$24.95
New Size	1414-15-60(3) CLR	1.4	1.4	1.960	35.56	49.784	15	0.60	R	3	0.125	\$24.95

CLEAVER	PROP DIA	1.5	Inch		38.1	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
								45				
New Style	1514-17-45(2) CLL	1.5	1.4	2.100	38.1	53.34	17	0.45	L	2	0.187	\$22.95
New Style	1514-17-45(2) CLR	1.5	1.4	2.100	38.1	53.34	17	0.45	R	2	0.187	\$22.95
New Style	1515-17-45(2) CLL	1.5	1.5	2.250	38.1	57.15	17	0.45	L	2	0.187	\$22.95
New Style	1515-17-45(2) CLR	1.5	1.5	2.250	38.1	57.15	17	0.45	R	2	0.187	\$22.95
Coming Soon	1516-17-45(2) CLL	1.5	1.6	2.400	38.1	60.96	17	0.45	L	2	0.187	\$22.95
Coming Soon	1516-17-45(2) CLR	1.5	1.6	2.400	38.1	60.96	17	0.45	R	2	0.187	\$22.95
								50				
	1514-10-50(2) CLL	1.5	1.4	2.100	38.1	53.34	10	0.50	L	2	0.187	\$22.95
	1516-10-50(2) CLL	1.5	1.6	2.400	38.1	60.96	10	0.50	L	2	0.187	\$22.95
New Mold	1516-10-50(3) CLL	1.5	1.6	2.400	38.1	60.96	10	0.50	L	3	0.187	\$29.95
New Mold	1516-10-50(3) CLR	1.5	1.6	2.400	38.1	60.96	10	0.50	R	3	0.187	\$29.95
	1518-10-50(2) CLL	1.5	1.8	2.700	38.1	68.58	10	0.50	L	2	0.187	\$22.95
								75				
	1514-10-75(3) CLL	1.5	1.4	2.100	38.1	53.34	10	0.75	L	3	0.187	\$29.95
	1516-10-75(3) CLL	1.5	1.6	2.400	38.1	60.96	10	0.75	L	3	0.187	\$29.95
	1518-10-75(3) CLL	1.5	1.8	2.700	38.1	68.58	10	0.75	L	3	0.187	\$29.95
SK	PROP DIA	1.5	Inch		38.1	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
								38				
New Style	1519-23-38(2) SKL	1.5	1.9	2.850	38.1	72.39	23	0.38	L	2	0.187	\$24.95
New Style	1521-19-38(2) SKL	1.5	2.1	3.150	38.1	80.01	19	0.38	L	2	0.187	\$24.95
New Style	1523-19-38(2) SKL	1.5	2.3	3.450	38.1	87.63	19	0.38	L	2	0.187	\$24.95
New Style	1523-29-38(2) SKL	1.5	2.3	3.450	38.1	87.63	29	0.38	L	2	0.187	\$24.95

CLEAVER	PROP DIA	1.6	Inch		40.6	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
								45				
New Style	1614-17-45(2) CLL	1.6	1.4	2.240	40.64	56.896	17	0.45	L	2	0.187	\$22.95
New Style	1614-17-45(2) CLR	1.6	1.4	2.240	40.64	56.896	17	0.45	R	2	0.187	\$22.95
New Style	1615-17-45(2) CLL	1.6	1.5	2.400	40.64	60.96	17	0.45	L	2	0.187	\$22.95
New Style	1615-17-45(2) CLR	1.6	1.5	2.400	40.64	60.96	17	0.45	R	2	0.187	\$22.95
New Style	1616-17-45(2) CLL	1.6	1.6	2.560	40.64	65.024	17	0.45	L	2	0.187	\$22.95
New Style	1616-17-45(2) CLR	1.6	1.6	2.560	40.64	65.024	17	0.45	R	2	0.187	\$22.95
New Style	1619-17-45(2) CLL	1.6	1.9	3.040	40.64	77.216	17	0.45	L	2	0.187	\$22.95
New Style	1621-17-45(2) CLL	1.6	2.1	3.360	40.64	85.344	17	0.45	L	2	0.187	\$22.95
								50				
	1614-10-50(2) CLL	1.6	1.4	2.240	40.64	56.896	10	0.50	L	2	0.187	\$22.95
	1614-10-50(3) CLL	1.6	1.4	2.240	40.64	56.896	10	0.50	L	3	0.187	\$29.95
	1616-10-50(2) CLL	1.6	1.6	2.560	40.64	65.024	10	0.50	L	2	0.187	\$22.95
New Mold	1616-10-50(3) CLL	1.6	1.6	2.560	40.64	65.024	10	0.50	L	3	0.187	\$29.95
New Mold	1616-10-50(3) CLR	1.6	1.6	2.560	40.64	65.024	10	0.50	R	3	0.187	\$29.95
	1618-10-50(2) CLL	1.6	1.8	2.880	40.64	73.152	10	0.50	L	2	0.187	\$22.95
CHOPPER	PROP DIA	1.6	Inch		40.6	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
New Mold	1614-15-65(3) CPL	1.6	1.4	2.240	40.64	56.896	15	0.65	L	3	0.187	\$29.95
New Size	1615-20-65(3) CPL	1.6	1.5	2.400	40.64	60.96	20	0.65	L	3	0.187	\$29.95
SK	PROP DIA	1.6	Inch		40.6	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
								38				
New Style	1619-23-38(2) SKL	1.6	1.9	3.040	40.64	77.216	23	0.38	L	2	0.187	\$24.95
New Style	1621-23-38(2) SKL	1.6	2.1	3.360	40.64	85.344	23	0.38	L	2	0.187	\$24.95

CLEAVER	PROP DIA	1.7	Inch		43.2	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
								38				
Coming Soon	1717-19-38(2) CLL	1.7	1.7	2.890	43.18	73.406	19	0.38	L	2	0.187	\$22.95
Coming Soon	1719-19-38(2) CLL	1.7	1.9	3.230	43.18	82.042	19	0.38	L	2	0.187	\$22.95
								45				
New Style	1714-17-45(2) CLL	1.7	1.4	2.380	43.18	60.452	17	0.45	L	2	0.187	\$22.95
New Style	1714-17-45(2) CLR	1.7	1.4	2.380	43.18	60.452	17	0.45	R	2	0.187	\$22.95
New Style	1715-17-45(2) CLL	1.7	1.5	2.550	43.18	64.77	17	0.45	L	2	0.187	\$22.95
New Style	1715-17-45(2) CLR	1.7	1.5	2.550	43.18	64.77	17	0.45	R	2	0.187	\$22.95
New Style	1716-17-45(2) CLL	1.7	1.6	2.720	43.18	69.088	17	0.45	L	2	0.187	\$22.95
New Style	1716-17-45(2) CLR	1.7	1.6	2.720	43.18	69.088	17	0.45	R	2	0.187	\$22.95
New Style	1717-17-45(2) CLL	1.7	1.7	2.890	43.18	73.406	17	0.45	L	2	0.187	\$22.95
Coming Soon	1717-17-45(2) CLR	1.7	1.7	2.890	43.18	73.406	17	0.45	R	2	0.187	\$22.95
								50				
	1714-10-50(2) CLL	1.7	1.4	2.380	43.18	60.452	10	0.50	L	2	0.187	\$22.95
	1714-10-50(3) CLL	1.7	1.4	2.380	43.18	60.452	10	0.50	L	3	0.187	\$29.95
	1716-10-50(2) CLL	1.7	1.6	2.720	43.18	69.088	10	0.50	L	2	0.187	\$22.95
	1717-10-50(2) CLL	1.7	1.7	2.890	43.18	73.406	10	0.50	L	2	0.187	\$22.95
	1718-10-50(2) CLL	1.7	1.8	3.060	43.18	77.724	10	0.50	L	2	0.187	\$22.95

CLEAVER	PROP DIA	1.8	Inch		45.7	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
								38				
Coming Soon	1817-19-38(2) CLL	1.8	1.7	3.060	45.72	77.724	19	0.38	L	2	0.187	\$22.95
Coming Soon	1819-19-38(2) CLL	1.8	1.9	3.420	45.72	86.868	19	0.38	L	2	0.187	\$22.95
New Style	1823-19-38(2) CLL	1.8	2.3	4.140	45.72	105.156	19	0.38	L	2	0.187	\$22.95
								45				
New Style	1814-17-45(2) CLL	1.8	1.4	2.520	45.72	64.008	17	0.45	L	2	0.187	\$22.95
New Style	1814-17-45(2) CLR	1.8	1.4	2.520	45.72	64.008	17	0.45	R	2	0.187	\$22.95
New Style	1815-17-45(2) CLL	1.8	1.5	2.700	45.72	68.58	17	0.45	L	2	0.187	\$22.95
New Style	1815-17-45(2) CLR	1.8	1.5	2.700	45.72	68.58	17	0.45	R	2	0.187	\$22.95
New Style	1816-17-45(2) CLL	1.8	1.6	2.880	45.72	73.152	17	0.45	L	2	0.187	\$22.95
Coming Soon	1816-17-45(2) CLR	1.8	1.6	2.880	45.72	73.152	17	0.45	R	2	0.187	\$22.95
New Style	1817-17-45(2) CLL	1.8	1.7	3.060	45.72	77.724	17	0.45	L	2	0.187	\$22.95
New Style	1817-17-45(2) CLR	1.8	1.7	3.060	45.72	77.724	17	0.45	R	2	0.187	\$22.95
New Style	1819-17-45(2) CLL	1.8	1.9	3.420	45.72	86.868	17	0.45	L	2	0.187	\$22.95
New Style	1820-22-45(2) CLL	1.8	2	3.600	45.72	91.44	22	0.45	L	2	0.187	\$22.95
								50				
	1814-10-50(2) CLL	1.8	1.4	2.520	45.72	64.008	10	0.50	L	2	0.187	\$22.95
	1816-10-50(2) CLL	1.8	1.6	2.880	45.72	73.152	10	0.50	L	2	0.187	\$22.95
New Mold	1816-10-50(3) CLL	1.8	1.6	2.880	45.72	73.152	10	0.50	L	3	0.187	\$29.95
New Mold	1816-10-50(3) CLR	1.8	1.6	2.880	45.72	73.152	10	0.50	R	3	0.187	\$29.95
New Style	1817-23-50(3) CLL	1.8	1.7	3.060	45.72	77.724	23	0.50	L	3	0.187	\$29.95
	1818-10-50(2) CLL	1.8	1.8	3.240	45.72	82.296	10	0.50	L	2	0.187	\$22.95
								60				
New Size	1814-15-60(3) CLL	1.8	1.4	2.520	45.72	64.008	15	0.60	L	3	0.187	\$29.95
New Size	1814-15-60(3) CLR	1.8	1.4	2.520	45.72	64.008	15	0.60	R	3	0.187	\$29.95
								67				
New Style	1817-17-67(3) CLL	1.8	1.7	3.060	45.72	77.724	17	0.67	L	3	0.187	\$29.95

CLEAVER	PROP DIA	1.8	Inch		45.7	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
								38				
New Style	1817-23-38(2) SKL	1.8	1.7	3.060	45.72	77.724	23	0.38	L	2	0.187	\$24.95
New Style	1819-23-38(2) SKL	1.8	1.9	3.420	45.72	86.868	23	0.38	L	2	0.187	\$24.95

CLEAVER	PROP DIA	1.9	Inch		48.3	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
								45				
Coming Soon	1914-17-45(2) CLL	1.9	1.4	2.660	48.26	67.564	17	0.45	L	2	0.187	\$22.95
Coming Soon	1914-17-45(2) CLR	1.9	1.4	2.660	48.26	67.564	17	0.45	R	2	0.187	\$22.95
New Style	1915-17-45(2) CLL	1.9	1.5	2.850	48.26	72.39	17	0.45	L	2	0.187	\$22.95
New Style	1915-17-45(2) CLR	1.9	1.5	2.850	48.26	72.39	17	0.45	R	2	0.187	\$22.95
New Style	1916-17-45(2) CLL	1.9	1.6	3.040	48.26	77.216	17	0.45	L	2	0.187	\$22.95
Coming Soon	1916-17-45(2) CLR	1.9	1.6	3.040	48.26	77.216	17	0.45	R	2	0.187	\$22.95
New Style	1917-17-45(2) CLL	1.9	1.7	3.230	48.26	82.042	17	0.45	L	2	0.187	\$22.95
Coming Soon	1917-17-45(2) CLR	1.9	1.7	3.230	48.26	82.042	17	0.45	R	2	0.187	\$22.95
								50				
	1914-10-50(2) CLL	1.9	1.4	2.660	48.26	67.564	10	0.50	L	2	0.187	\$22.95
	1916-10-50(2) CLL	1.9	1.6	3.040	48.26	77.216	10	0.50	L	2	0.187	\$22.95
	1918-10-50(2) CLL	1.9	1.8	3.420	48.26	86.868	10	0.50	L	2	0.187	\$22.95
								60				
New Style	1914-15-60(3) CLL	1.9	1.4	2.660	48.26	67.564	15	0.60	L	3	0.187	\$29.95
New Style	1914-15-60(3) CLR	1.9	1.4	2.660	48.26	67.564	15	0.60	R	3	0.187	\$29.95

CLEAVER	PROP DIA	2.0	Inch		50.8	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
								45				
Coming Soon	2014-17-45(2) CLL	2.0	1.4	2.800	50.8	71.12	17	0.45	L	2	0.187	\$22.95
Coming Soon	2014-17-45(2) CLR	2.0	1.4	2.800	50.8	71.12	17	0.45	R	2	0.187	\$22.95
New Style	2015-17-45(2) CLL	2.0	1.5	3.000	50.8	76.2	17	0.45	L	2	0.187	\$22.95
Coming Soon	2015-17-45(2) CLR	2.0	1.5	3.000	50.8	76.2	17	0.45	R	2	0.187	\$22.95
Coming Soon	2016-17-45(2) CLL	2.0	1.6	3.200	50.8	81.28	17	0.45	L	2	0.187	\$22.95
Coming Soon	2016-17-45(2) CLR	2.0	1.6	3.200	50.8	81.28	17	0.45	R	2	0.187	\$22.95
								50				
	2014-10-50(2) CLL	2.0	1.4	2.800	50.8	71.12	10	0.50	L	2	0.187	\$22.95
	2014-10-50(3) CLL	2.0	1.4	2.800	50.8	71.12	10	0.50	L	3	0.187	\$29.95
	2016-10-50(2) CLL	2.0	1.6	3.200	50.8	81.28	10	0.50	L	2	0.187	\$22.95
	2016-10-50(3) CLL	2.0	1.6	3.200	50.8	81.28	10	0.50	L	3	0.187	\$29.95
	2016-10-50(3) CLR	2.0	1.6	3.200	50.8	81.28	10	0.50	R	3	0.187	\$29.95
	2018-10-50(2) CLL	2.0	1.8	3.600	50.8	91.44	10	0.50	L	2	0.187	\$22.95
	2018-10-50(3) CLL	2.0	1.8	3.600	50.8	91.44	10	0.50	L	3	0.187	\$29.95
	2018-10-50(3) CLR	2.0	1.8	3.600	50.8	91.44	10	0.50	R	3	0.187	\$29.95
								60				
Coming Soon	2014-15-60(3) CLL	2.0	1.4	2.800	50.8	71.12	15	0.60	L	3	0.187	\$29.95
Coming Soon	2014-15-60(3) CLR	2.0	1.4	2.800	50.8	71.12	15	0.60	R	3	0.187	\$29.95

CLEAVER	PROP DIA	2.1	Inch		53.3	mm							
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE	
								45					
Coming Soon	2114-17-45(2) CLL	2.1	1.4	2.940	53.34	74.676	17	0.45	L	2	0.250	\$22.95	
Coming Soon	2114-17-45(2) CLR	2.1	1.4	2.940	53.34	74.676	17	0.45	R	2	0.250	\$22.95	
New Style	2115-17-45(2) CLL	2.1	1.5	3.150	53.34	80.01	17	0.45	L	2	0.250	\$22.95	
New Style	2115-17-45(2) CLR	2.1	1.5	3.150	53.34	80.01	17	0.45	R	2	0.250	\$22.95	
Coming Soon	2116-17-45(2) CLL	2.1	1.6	3.360	53.34	85.344	17	0.45	L	2	0.250	\$22.95	
Coming Soon	2116-17-45(2) CLR	2.1	1.6	3.360	53.34	85.344	17	0.45	R	2	0.250	\$22.95	
								50					
	2114-10-50(2) CLL	2.1	1.4	2.940	53.34	74.676	10	0.50	L	2	0.187	\$22.95	
	2116-10-50(2) CLL	2.1	1.6	3.360	53.34	85.344	10	0.50	L	2	0.187	\$22.95	
	2116-10-50(3) CLL	2.1	1.6	3.360	53.34	85.344	10	0.50	L	3	0.187	\$29.95	
	2116-10-50(3) CLR	2.1	1.6	3.360	53.34	85.344	10	0.50	R	3	0.187	\$29.95	
	2118-10-50(2) CLL	2.1	1.8	3.780	53.34	96.012	10	0.50	L	2	0.187	\$22.95	
	2118-10-50(3) CLL	2.1	1.8	3.780	53.34	96.012	10	0.50	L	3	0.187	\$29.95	
	2118-10-50(3) CLR	2.1	1.8	3.780	53.34	96.012	10	0.50	R	3	0.187	\$29.95	
								60					
New Size	2114-15-60(3) CLL	2.1	1.4	2.940	53.34	74.676	15	0.60	L	3	0.250	\$29.95	
New Size	2114-15-60(3) CLR	2.1	1.4	2.940	53.34	74.676	15	0.60	R	3	0.250	\$29.95	
New Size	2116-15-60(3) CLL	2.1	1.6	3.360	53.34	85.344	15	0.60	L	3	0.250	\$29.95	
New Size	2116-15-60(3) CLR	2.1	1.6	3.360	53.34	85.344	15	0.60	R	3	0.250	\$29.95	
New Size	2118-15-60(3) CLL	2.1	1.8	3.780	53.34	96.012	15	0.60	L	3	0.250	\$29.95	
New Size	2118-15-60(3) CLR	2.1	1.8	3.780	53.34	96.012	15	0.60	R	3	0.250	\$29.95	

CLEAVER	PROP DIA	2.2	Inch		55.9	mm							
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE	
								38					
New Style	2217-19-38(2) CLL	2.2	1.7	3.740	55.88	94.996	19	0.38	L	2	0.187	\$22.95	
New Style	2219-19-38(2) CLL	2.2	1.9	4.180	55.88	106.172	19	0.38	L	2	0.187	\$22.95	
								45					
New Style	2215-17-45(2) CLL	2.2	1.5	3.300	55.88	83.82	17	0.45	L	2	0.250	\$22.95	
New Style	2215-17-45(2) CLR	2.2	1.5	3.300	55.88	83.82	17	0.45	R	2	0.250	\$22.95	
New Style	2223-17-45(2) CLL	2.2	2.3	5.060	55.88	128.524	17	0.45	L	2	0.250	\$22.95	
								50					
	2214-10-50(2) CLL	2.2	1.4	3.080	55.88	78.232	10	0.50	L	2	0.187	\$22.95	
	2216-10-50(2) CLL	2.2	1.6	3.520	55.88	89.408	10	0.50	L	2	0.187	\$22.95	
	2218-10-50(2) CLL	2.2	1.8	3.960	55.88	100.584	10	0.50	L	2	0.187	\$22.95	
								60					
New Size	2214-15-60(3) CLL	2.2	1.4	3.080	55.88	78.232	15	0.60	L	3	0.250	\$29.95	
New Size	2214-15-60(3) CLR	2.2	1.4	3.080	55.88	78.232	15	0.60	R	3	0.250	\$29.95	
New Size	2216-15-60(3) CLL	2.2	1.6	3.520	55.88	89.408	15	0.60	L	3	0.250	\$29.95	
New Size	2216-15-60(3) CLR	2.2	1.6	3.520	55.88	89.408	15	0.60	R	3	0.250	\$29.95	
Coming Soon	2218-15-60(3) CLL	2.2	1.8	3.960	55.88	100.584	15	0.60	L	3	0.250	\$29.95	
Coming Soon	2218-15-60(3) CLR	2.2	1.8	3.960	55.88	100.584	15	0.60	R	3	0.250	\$29.95	

CLEAVER	PROP DIA	2.3	Inch		58.4	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
								38				
New Style	2317-19-38(2) CLL	2.3	1.7	3.910	58.42	99.314	19	0.38	L	2	0.187	\$22.95
New Style	2319-19-38(2) CLL	2.3	1.9	4.370	58.42	110.998	19	0.38	L	2	0.187	\$22.95
New Style	2321-19-38(2) CLL	2.3	2.1	4.830	58.42	122.682	19	0.38	L	2	0.187	\$22.95
New Style	2323-19-38(2) CLL	2.3	2.3	5.290	58.42	134.366	19	0.38	L	2	0.187	\$22.95
								45				
New Style	2315-17-45(2) CLL	2.3	1.5	3.450	58.42	87.63	17	0.45	L	2	0.250	\$22.95
New Style	2315-17-45(2) CLR	2.3	1.5	3.450	58.42	87.63	17	0.45	R	2	0.250	\$22.95
								50				
	2314-10-50(2) CLL	2.3	1.4	3.220	58.42	81.788	10	0.50	L	2	0.187	\$22.95
	2316-10-50(2) CLL	2.3	1.6	3.680	58.42	93.472	10	0.50	L	2	0.187	\$22.95
	2318-10-50(2) CLL	2.3	1.8	4.140	58.42	105.156	10	0.50	L	2	0.187	\$22.95
	2316-10-50(3) CLL	2.3	1.6	3.680	58.42	93.472	10	0.50	L	3	0.187	\$29.95
	2316-10-50(3) CLR	2.3	1.6	3.680	58.42	93.472	10	0.50	R	3	0.187	\$29.95
	2318-10-50(3) CLL	2.3	1.8	4.140	58.42	105.156	10	0.50	L	3	0.187	\$29.95
	2318-10-50(3) CLR	2.3	1.8	4.140	58.42	105.156	10	0.50	R	3	0.187	\$29.95
								60				
New Size	2314-15-60(3) CLL	2.3	1.4	3.220	58.42	81.788	15	0.60	L	3	0.250	\$29.95
New Size	2314-15-60(3) CLR	2.3	1.4	3.220	58.42	81.788	15	0.60	R	3	0.250	\$29.95
New Size	2316-15-60(3) CLL	2.3	1.6	3.680	58.42	93.472	15	0.60	L	3	0.250	\$29.95
New Size	2316-15-60(3) CLR	2.3	1.6	3.680	58.42	93.472	15	0.60	R	3	0.250	\$29.95
New Size	2318-15-60(3) CLL	2.3	1.8	4.140	58.42	105.156	15	0.60	L	3	0.250	\$29.95
New Size	2318-15-60(3) CLR	2.3	1.8	4.140	58.42	105.156	15	0.60	R	3	0.250	\$29.95
CHOPPER	PROP DIA	2.3	Inch		58.4	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
	2314-15-65(3) CPL	2.3	1.4	3.220	58.42	81.788	15	0.65	L	3	0.187	\$29.95
	2314-15-80(4) CPL	2.3	1.4	3.220	58.42	81.788	15	0.80	L	4	0.187	\$29.95

CLEAVER	PROP DIA	2.4	Inch		61.0	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
								45				
New Style	2415-17-45(2) CLL	2.4	1.5	3.600	60.96	91.44	17	0.45	L	2	0.250	\$22.95
New Style	2415-17-45(2) CLR	2.4	1.5	3.600	60.96	91.44	17	0.45	R	2	0.250	\$22.95
								50				
	2414-10-50(2) CLL	2.4	1.4	3.360	60.96	85.344	10	0.50	L	2	0.187	\$22.95
	2416-10-50(2) CLL	2.4	1.6	3.840	60.96	97.536	10	0.50	L	2	0.187	\$22.95
	2418-10-50(2) CLL	2.4	1.8	4.320	60.96	109.728	10	0.50	L	2	0.187	\$22.95
								60				
New Size	2414-15-60(3) CLL	2.4	1.4	3.360	60.96	85.344	15	0.60	L	3	0.250	\$29.95
New Size	2414-15-60(3) CLR	2.4	1.4	3.360	60.96	85.344	15	0.60	R	3	0.250	\$29.95
Coming Soon	2416-15-60(3) CLL	2.4	1.6	3.840	60.96	97.536	15	0.60	L	3	0.250	\$29.95
Coming Soon	2416-15-60(3) CLR	2.4	1.6	3.840	60.96	97.536	15	0.60	R	3	0.250	\$29.95
Coming Soon	2418-15-60(3) CLL	2.4	1.8	4.320	60.96	109.728	15	0.60	L	3	0.250	\$29.95
Coming Soon	2418-15-60(3) CLR	2.4	1.8	4.320	60.96	109.728	15	0.60	R	3	0.250	\$29.95
CHOPPER	PROP DIA	2.4	Inch		61.0	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
	2414-15-65(3) CPL	2.4	1.4	3.360	60.96	85.344	15	0.65	L	3	0.187	\$29.95
	2414-15-80(4) CPL	2.4	1.4	3.360	60.96	85.344	15	0.80	L	4	0.187	\$29.95

CLEAVER	PROP DIA	2.5	Inch		63.5	mm							
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE	
								38					
Coming Soon	2517-19-38(2) CLL	2.5	1.7	4.250	63.5	107.95	19	0.38	L	2	0.250	\$24.95	
Coming Soon	2519-19-38(2) CLL	2.5	1.9	4.750	63.5	120.65	19	0.38	L	2	0.250	\$24.95	
								45					
New Style	2515-17-45(2) CLL	2.5	1.5	3.750	63.5	95.25	17	0.45	L	2	0.250	\$24.95	
New Style	2515-17-45(2) CLR	2.5	1.5	3.750	63.5	95.25	17	0.45	R	2	0.250	\$24.95	
								50					
New Mold	2514-10-50(2) CLL	2.5	1.4	3.500	63.5	88.9	10	0.50	L	2	0.250	\$24.95	
New Size	2514-10-50(2) CLR	2.5	1.4	3.500	63.5	88.9	10	0.50	R	2	0.250	\$24.95	
Coming Soon	2514-15-50(2) CLL	2.5	1.4	3.500	63.5	88.9	15	0.50	L	2	0.250	\$24.95	
Coming Soon	2514-15-50(2) CLR	2.5	1.4	3.500	63.5	88.9	15	0.50	R	2	0.250	\$24.95	
	2516-10-50(2) CLL	2.5	1.6	4.000	63.5	101.6	10	0.50	L	2	0.250	\$24.95	
Coming Soon	2516-15-50(2) CLL	2.5	1.6	4.000	63.5	101.6	15	0.50	L	2	0.250	\$24.95	
Coming Soon	2516-15-50(2) CLR	2.5	1.6	4.000	63.5	101.6	15	0.50	R	2	0.250	\$24.95	
	2518-10-50(2) CLL	2.5	1.8	4.500	63.5	114.3	10	0.50	L	2	0.250	\$24.95	
								75					
	2514-10-75(3) CLL	2.5	1.4	3.500	63.5	88.9	10	0.75	L	3	0.250	\$34.95	
	2515-10-75(3) CLL	2.5	1.5	3.750	63.5	95.25	10	0.75	L	3	0.250	\$34.95	
	2516-10-75(3) CLL	2.5	1.6	4.000	63.5	101.6	10	0.75	L	3	0.250	\$34.95	
	2517-10-75(3) CLL	2.5	1.7	4.250	63.5	107.95	10	0.75	L	3	0.250	\$34.95	
	2518-10-75(3) CLL	2.5	1.8	4.500	63.5	114.3	10	0.75	L	3	0.250	\$34.95	
CHOPPER	PROP DIA	2.5	Inch		63.5	mm							
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE	
New Mold	2514-15-65(3) CPL	2.5	1.4	3.500	63.5	88.9	15	0.65	L	3	0.250	\$34.95	
New Size	2514-15-65(3) CPR	2.5	1.4	3.500	63.5	88.9	15	0.65	R	3	0.250	\$34.95	
	2514-15-80(4) CPL	2.5	1.4	3.500	63.5	88.9	15	0.80	L	4	0.250	\$34.95	

CLEAVER	PROP DIA	2.6	Inch		66.0	mm							
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE	
								38					
Coming Soon	2617-19-38(2) CLL	2.6	1.7	4.420	66.04	112.268	19	0.38	L	2	0.250	\$24.95	
Coming Soon	2619-19-38(2) CLL	2.6	1.9	4.940	66.04	125.476	19	0.38	L	2	0.250	\$24.95	
								40					
	2622-10-40(2) CLL	2.6	2.2	5.720	66.04	145.288	10	0.40	L	2	0.250	\$24.95	
								45					
Coming Soon	2615-17-45(2) CLL	2.6	1.5	3.900	66.04	99.06	17	0.45	L	2	0.250	\$24.95	
Coming Soon	2615-17-45(2) CLR	2.6	1.5	3.900	66.04	99.06	17	0.45	R	2	0.250	\$24.95	
								50					
	2614-10-50(2) CLL	2.6	1.4	3.640	66.04	92.456	10	0.50	L	2	0.250	\$24.95	
New Size	2614-15-50(2) CLL	2.6	1.4	3.640	66.04	92.456	15	0.50	L	2	0.250	\$24.95	
New Size	2614-15-50(2) CLR	2.6	1.4	3.640	66.04	92.456	15	0.50	R	2	0.250	\$24.95	
	2616-10-50(2) CLL	2.6	1.6	4.160	66.04	105.664	10	0.50	L	2	0.250	\$24.95	
Coming Soon	2616-15-50(2) CLL	2.6	1.6	4.160	66.04	105.664	15	0.50	L	2	0.250	\$24.95	
Coming Soon	2616-15-50(2) CLR	2.6	1.6	4.160	66.04	105.664	15	0.50	R	2	0.250	\$24.95	
	2618-10-50(2) CLL	2.6	1.8	4.680	66.04	118.872	10	0.50	L	2	0.250	\$24.95	
	2616-10-50(3) CLL	2.6	1.6	4.160	66.04	105.664	10	0.50	L	3	0.250	\$34.95	
	2616-10-50(3) CLR	2.6	1.6	4.160	66.04	105.664	10	0.50	R	3	0.250	\$34.95	
								75					
	2614-10-75(3) CLL	2.6	1.4	3.640	66.04	92.456	10	0.75	L	3	0.250	\$34.95	
	2615-10-75(3) CLL	2.6	1.5	3.900	66.04	99.06	10	0.75	L	3	0.250	\$34.95	
	2616-10-75(3) CLL	2.6	1.6	4.160	66.04	105.664	10	0.75	L	3	0.250	\$34.95	
	2617-10-75(3) CLL	2.6	1.7	4.420	66.04	112.268	10	0.75	L	3	0.250	\$34.95	
	2618-10-75(3) CLL	2.6	1.8	4.680	66.04	118.872	10	0.75	L	3	0.250	\$34.95	
CHOPPER	PROP DIA	2.6	Inch		66.0	mm							
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE	
	2614-15-65(3) CPL	2.6	1.4	3.640	66.04	92.456	15	0.65	L	3	0.250	\$34.95	
	2614-15-80(4) CPL	2.6	1.4	3.640	66.04	92.456	15	0.80	L	4	0.250	\$34.95	

CLEAVER	PROP DIA	2.7	Inch		68.6	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
								38				
New Style	2717-19-38(2) CLL	2.7	1.7	4.590	68.58	116.586	19	0.38	L	2	0.250	\$24.95
New Style	2719-19-38(2) CLL	2.7	1.9	5.130	68.58	130.302	19	0.38	L	2	0.250	\$24.95
								50				
	2714-10-50(2) CLL	2.7	1.4	3.780	68.58	96.012	10	0.50	L	2	0.250	\$24.95
New Mold	2714-15-50(2) CLL	2.7	1.4	3.780	68.58	96.012	15	0.50	L	2	0.250	\$24.95
New Size	2714-15-50(2) CLR	2.7	1.4	3.780	68.58	96.012	15	0.50	R	2	0.250	\$24.95
	2714-20-50(2) CLL	2.7	1.4	3.780	68.58	96.012	20	0.50	L	2	0.250	\$24.95
	2716-10-50(2) CLL	2.7	1.6	4.320	68.58	109.728	10	0.50	L	2	0.250	\$24.95
New Mold	2716-15-50(2) CLL	2.7	1.6	4.320	68.58	109.728	15	0.50	L	2	0.250	\$24.95
New Size	2716-15-50(2) CLR	2.7	1.6	4.320	68.58	109.728	15	0.50	R	2	0.250	\$24.95
New Mold	2716-20-50(2) CLL	2.7	1.6	4.320	68.58	109.728	20	0.50	L	2	0.250	\$24.95
	2716-10-50(3) CLL	2.7	1.6	4.320	68.58	109.728	10	0.50	L	3	0.250	\$34.95
	2716-10-50(3) CLR	2.7	1.6	4.320	68.58	109.728	10	0.50	R	3	0.250	\$34.95
	2717-17-50(2) CLL	2.7	1.7	4.590	68.58	116.586	17	0.50	L	2	0.250	\$24.95
	2718-10-50(2) CLL	2.7	1.8	4.860	68.58	123.444	10	0.50	L	2	0.250	\$24.95
	2718-10-50(3) CLL	2.7	1.8	4.860	68.58	123.444	10	0.50	L	3	0.250	\$34.95
	2718-10-50(3) CLR	2.7	1.8	4.860	68.58	123.444	10	0.50	R	3	0.250	\$34.95
	2720-10-50(3) CLL	2.7	2	5.400	68.58	137.16	10	0.50	L	3	0.250	\$34.95
	2720-10-50(3) CLR	2.7	2	5.400	68.58	137.16	10	0.50	R	3	0.250	\$34.95
								75				
	2714-10-75(3) CLL	2.7	1.4	3.780	68.58	96.012	10	0.75	L	3	0.250	\$34.95
	2715-10-75(3) CLL	2.7	1.5	4.050	68.58	102.87	10	0.75	L	3	0.250	\$34.95
	2716-10-75(3) CLL	2.7	1.6	4.320	68.58	109.728	10	0.75	L	3	0.250	\$34.95
New Mold	2716-15-75(3) CLL	2.7	1.6	4.320	68.58	109.728	15	0.75	L	3	0.250	\$34.95
New Size	2716-15-75(3) CLR	2.7	1.6	4.320	68.58	109.728	15	0.75	R	3	0.250	\$34.95
	2717-10-75(3) CLL	2.7	1.7	4.590	68.58	116.586	10	0.75	L	3	0.250	\$34.95
	2718-10-75(3) CLL	2.7	1.8	4.860	68.58	123.444	10	0.75	L	3	0.250	\$34.95
CHOPPER	PROP DIA	2.7	Inch		68.6	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
	2714-15-65(3) CPL	2.7	1.4	3.780	68.58	96.012	15	0.65	L	3	0.250	\$34.95
	2714-15-80(4) CPL	2.7	1.4	3.780	68.58	96.012	15	0.80	L	4	0.250	\$34.95

CLEAVER	PROP DIA	2.8	Inch		71.1	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
								38				
Coming Soon	2817-19-38(2) CLL	2.8	1.7	4.760	71.12	120.904	19	0.38	L	2	0.250	\$24.95
Coming Soon	2819-19-38(2) CLL	2.8	1.9	5.320	71.12	135.128	19	0.38	L	2	0.250	\$24.95
								50				
	2814-10-50(2) CLL	2.8	1.4	3.920	71.12	99.568	10	0.50	L	2	0.250	\$24.95
New Size	2814-15-50(2) CLL	2.8	1.4	3.920	71.12	99.568	15	0.50	L	2	0.250	\$24.95
New Size	2814-15-50(2) CLR	2.8	1.4	3.920	71.12	99.568	15	0.50	R	2	0.250	\$24.95
New Mold	2816-10-50(2) CLL	2.8	1.6	4.480	71.12	113.792	10	0.50	L	2	0.250	\$24.95
New Size	2816-15-50(2) CLL	2.8	1.6	4.480	71.12	113.792	15	0.50	L	2	0.250	\$24.95
New Size	2816-15-50(2) CLR	2.8	1.6	4.480	71.12	113.792	15	0.50	R	2	0.250	\$24.95
New Size	2816-20-50(2) CLL	2.8	1.6	4.480	71.12	113.792	20	0.50	L	2	0.250	\$24.95
New Style	2817-19-50(3) CLL	2.8	1.7	4.760	71.12	120.904	19	0.50	L	3	0.250	\$34.95
New Mold	2818-10-50(2) CLL	2.8	1.8	5.040	71.12	128.016	10	0.50	L	2	0.250	\$24.95
New Size	2818-20-50(2) CLL	2.8	1.8	5.040	71.12	128.016	20	0.50	L	2	0.250	\$24.95
	2820-10-50(3) CLL	2.8	2	5.600	71.12	142.24	10	0.50	L	3	0.250	\$34.95
	2820-10-50(3) CLR	2.8	2	5.600	71.12	142.24	10	0.50	R	3	0.250	\$34.95
								67				
New Style	2817-17-67(3) CLL	2.8	1.7	4.760	71.12	120.904	17	0.67	L	3	0.250	\$34.95
New Style	2817-17-67(3) CLR	2.8	1.7	4.760	71.12	120.904	17	0.67	R	3	0.250	\$34.95
CHOPPER	PROP DIA	2.8	Inch		71.1	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
	2814-15-65(3) CPL	2.8	1.4	3.920	71.12	99.568	15	0.65	L	3	0.250	\$34.95
	2814-15-80(4) CPL	2.8	1.4	3.920	71.12	99.568	15	0.80	L	4	0.250	\$34.95

CLEAVER	PROP DIA	2.9	Inch		73.7	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
								50				
	2914-10-50(2) CLL	2.9	1.4	4.060	73.66	103.124	10	0.50	L	2	0.250	\$24.95
New Size	2914-15-50(2) CLL	2.9	1.4	4.060	73.66	103.124	15	0.50	L	2	0.250	\$24.95
New Size	2914-15-50(2) CLR	2.9	1.4	4.060	73.66	103.124	15	0.50	R	2	0.250	\$24.95
New Size	2916-10-50(2) CLL	2.9	1.6	4.640	73.66	117.856	10	0.50	L	2	0.250	\$24.95
New Size	2916-15-50(2) CLL	2.9	1.6	4.640	73.66	117.856	15	0.50	L	2	0.250	\$24.95
New Size	2916-15-50(2) CLR	2.9	1.6	4.640	73.66	117.856	15	0.50	R	2	0.250	\$24.95
New Size	2916-20-50(2) CLL	2.9	1.6	4.640	73.66	117.856	20	0.50	L	2	0.250	\$24.95
	2918-10-50(2) CLL	2.9	1.8	5.220	73.66	132.588	10	0.50	L	2	0.250	\$24.95
New Size	2918-20-50(2) CLL	2.9	1.8	5.220	73.66	132.588	20	0.50	L	2	0.250	\$24.95
	2920-10-50(2) CLL	2.9	2	5.800	73.66	147.32	10	0.50	L	2	0.250	\$24.95
	2916-10-50(3) CLL	2.9	1.6	4.640	73.66	117.856	10	0.50	L	3	0.250	\$34.95
	2916-10-50(3) CLR	2.9	1.6	4.640	73.66	117.856	10	0.50	R	3	0.250	\$34.95
CHOPPER	PROP DIA	2.9	Inch		73.7	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
	2914-15-65(3) CPL	2.9	1.4	4.060	73.66	103.124	15	0.65	L	3	0.250	\$34.95

CLEAVER	PROP DIA	3.0	Inch		76.2	mm						
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE
								38				
Coming Soon	3017-19-38(2) CLL	3.0	1.7	5.100	76.2	129.54	19	0.38	L	2	0.250	\$24.95
Coming Soon	3019-19-38(2) CLL	3.0	1.9	5.700	76.2	144.78	19	0.38	L	2	0.250	\$24.95
								45				
New Style	3015-17-45(2) CLL	3.0	1.5	4.500	76.2	114.3	17	0.45	L	2	0.250	\$24.95
New Style	3015-17-45(2) CLR	3.0	1.5	4.500	76.2	114.3	17	0.45	R	2	0.250	\$24.95
								50				
	3014-10-50(2) CLL	3.0	1.4	4.200	76.2	106.68	10	0.50	L	2	0.250	\$24.95
New Size	3014-15-50(2) CLL	3.0	1.4	4.200	76.2	106.68	15	0.50	L	2	0.250	\$24.95
New Size	3014-15-50(2) CLR	3.0	1.4	4.200	76.2	106.68	15	0.50	R	2	0.250	\$24.95
Coming Soon	3014-20-50(2) CLL	3.0	1.4	4.200	76.2	106.68	20	0.50	L	2	0.250	\$24.95
	3015-10-75(3) CLL	3.0	1.5	4.500	76.2	114.3	10	0.75	L	3	0.250	\$34.95
	3016-10-50(2) CLL	3.0	1.6	4.800	76.2	121.92	10	0.50	L	2	0.250	\$24.95
Coming Soon	3016-20-50(2) CLL	3.0	1.6	4.800	76.2	121.92	20	0.50	L	2	0.250	\$24.95
	3018-10-50(2) CLL	3.0	1.8	5.400	76.2	137.16	10	0.50	L	2	0.250	\$24.95
New Size	3018-20-50(2) CLL	3.0	1.8	5.400	76.2	137.16	20	0.50	L	2	0.250	\$24.95
	3020-10-50(2) CLL	3.0	2	6.000	76.2	152.4	10	0.50	L	2	0.250	\$24.95
	3020-20-50(2) CLL	3.0	2	6.000	76.2	152.4	20	0.50	L	2	0.250	\$24.95
	3020-10-75(3) CLL	3.0	2	6.000	76.2	152.4	10	0.75	L	3	0.250	\$34.95

CLEAVER	PROP DIA	3.1	Inch		78.7	mm							
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE	
	3114-10-50(2) CLL	3.1	1.4	4.340	78.74	110.236	10	0.50	L	2	0.250	\$24.95	
	3116-10-50(2) CLL	3.1	1.6	4.960	78.74	125.984	10	0.50	L	2	0.250	\$24.95	
	3118-10-50(2) CLL	3.1	1.8	5.580	78.74	141.732	10	0.50	L	2	0.250	\$24.95	

CLEAVER	PROP DIA	3.2	Inch		81.3	mm							
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE	
	3214-10-50(2) CLL	3.2	1.4	4.480	81.28	113.792	10	0.50	L	2	0.250	\$24.95	
	3216-10-50(2) CLL	3.2	1.6	5.120	81.28	130.048	10	0.50	L	2	0.250	\$24.95	
	3218-10-50(2) CLL	3.2	1.8	5.760	81.28	146.304	10	0.50	L	2	0.250	\$24.95	

CLEAVER	PROP DIA	3.3	Inch		83.8	mm							
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE	
	3314-10-50(2) CLL	3.3	1.4	4.620	83.82	117.348	10	0.50	L	2	0.250	\$24.95	
	3316-10-50(2) CLL	3.3	1.6	5.280	83.82	134.112	10	0.50	L	2	0.250	\$24.95	
	3317-10-50(2) CLL	3.3	1.7	5.610	83.82	142.494	10	0.50	L	2	0.250	\$24.95	
	3317-10-50(2) CLR	3.3	1.7	5.610	83.82	142.494	10	0.50	R	2	0.250	\$24.95	
	3318-10-50(2) CLL	3.3	1.8	5.940	83.82	150.876	10	0.50	L	2	0.250	\$24.95	

CLEAVER	PROP DIA	3.4	Inch		86.4	mm							
	PROP NUMBER	DIA INCHES CASTING	PITCH RATIO	NOM PITCH AVERAGE(IN)	DIA MM CASTING	NOM PITCH AVERAGE(MM)	RAKE	BLADE AREA	ROT-TATION	# BLADES	BORE	PRICE	
	3414-10-50(2) CLL	3.4	1.4	4.760	86.36	120.904	10	0.50	L	2	0.250	\$24.95	
	3415-10-50(2) CLL	3.4	1.5	5.100	86.36	129.54	10	0.50	L	2	0.250	\$24.95	
	3415-10-50(2) CLR	3.4	1.5	5.100	86.36	129.54	10	0.50	R	2	0.250	\$24.95	
	3416-10-50(2) CLL	3.4	1.6	5.440	86.36	138.176	10	0.50	L	2	0.250	\$24.95	
	3418-10-50(2) CLL	3.4	1.8	6.120	86.36	155.448	10	0.50	L	2	0.250	\$24.95	

